

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

DATE : 5-5-08

Paper No.: \_\_\_\_\_

TO SPE OF : ART UNIT 2861

SUBJECT : Request for Certificate of Correction on Patent No.: 7097267/10/653207

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

Palm location **7580, Certificates of Correction Branch – South Tower – 9A22**

If response is for an IFW, return to employee (named below) via PUBSCofC Team in **MADRAS.**

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction (COCIN)? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Eva James

Discrepancy with Claims. Should they be entered?

Thank You For Your Assistance

Certificates of Correction Branch  
Tel. No. 703-305-8309

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☒ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes **do not** apply.

☐ **Denied**

State the reasons for denial below.

Comments:

---

---

---

---

---

2861

SPE

Art Unit

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 7,097,267 B2

DATED : August 29, 2006

INVENTOR(S) : KATO, ET AL.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 14:

Lines 65-67, claim 4 should read --The method according to claim 1, wherein in the first mode, the area expressing maximum density with regard to the prescribed color is printed using ink droplets of the first volume without using ink droplets of the second volume.--.

COLUMN 17:

Line 59, "claim 8," should read --claim 12,--.

Line 61, "using" (second occurrence) should be deleted.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 7,097,267 B2

No. of add'l. copies  
@ 30¢ per page

